



Conference proceedings | © 2020

Computational Science and Its Applications – ICCSA 2020

20th International Conference, Cagliari, Italy, July 1–4, 2020, Proceedings, Part VI

Editors: [Osvaldo Gervasi](#), [Beniamino Murgante](#), [Sanjay Misra](#), [Chiara Garau](#),
[Ivan Blečić](#), [David Taniar](#), [Bernady O. Apduhan](#), [Ana Maria A. C. Rocha](#),
[Eufemia Tarantino](#), [Carmelo Maria Torre](#), [Yeliz Karaca](#)

Part of the book series: [Lecture Notes in Computer Science](#) (LNCS, volume 12254)

Part of the book sub series: [Theoretical Computer Science and General Issues](#) (LNTCS)

Conference series link(s): [ICCSA: International Conference on Computational Science and Its Applications](#)

96k Accesses | **143** Citations | **6** Altmetric

Conference proceedings info: ICCSA 2020.

Sections

[Table of contents](#)[Other volumes](#)[About this book](#)[Keywords](#)[Editors and Affiliations](#)[Bibliographic Information](#)

This is a preview of subscription content, [access via your institution](#).

Table of contents (72 papers)

Search within book

[← Previous](#)

Page 2 of 4

[Next →](#)

International Symposium on Software Engineering Processes and Applications (SEPA 2020)

[PDF](#) 

1. Front Matter

Pages 229-229

2. [A Language for the Specification of Administrative Workflow Processes with Emphasis on Actors' Views](#)

- Milliam Maxime Zekeng Ndadji, Maurice Tchoupé Tchendji, Clémentin Tayou Djamegni, Didier Parigot

Pages 231-245

3. [Risk Management Framework to Improve Associated Risk of Information Exchange Between Users of Health Information Systems in Resource-Constrained Hospitals](#)

- Amarendar Rao Thangeda, Alfred Coleman

Pages 246-260

4. [Parameter Tuning Using Adaptive Moment Estimation in Deep Learning Neural Networks](#)

- Emmanuel Okewu, Sanjay Misra, Fernandez-Sanz Lius

Pages 261-272

5. [A Software Engineering Approach to Implementation of SDG 6 in Adum-Aiona Community of Nigeria](#)

- Emmanuel Okewu, Sanjay Misra, Fernandez-Sanz Lius

Pages 273-288

6. [A Survey on the Effects of Working Conditions on Programming Efficiency in an Educational Environment](#)

- Mariia Charikova, Ananga Thapaliya, Susanna Gimaeva, Alexandr Grichshenko, Selina Varouqa, Luiz Jonatã Pires de Araújo et al.

Pages 289-300

7. [Calibration of Empirical Models for Path Loss Prediction in Urban Environment](#)

- Robert O. Abolade, Dare J. Akintade, Segun I. Popoola, Folasade A. Semire, Aderemi A. Atayero, Sanjay Misra

Pages 301-310

8. [Investigating the Roles of Effective Communication Among Stakeholders in Collaborative Software Development Projects](#)

- Joseph Bamidele Awotunde, Femi Emmanuel Ayo, Roseline Oluwaseun Ogundokun, Opeyemi Emmanuel Matiluko, Emmanuel Abidemi Adeniyi

9. [Severe Acne Skin Disease: A Fuzzy-Based Method for Diagnosis](#)

- Femi Emmanuel Ayo, Roseline Oluwaseun Ogundokun, Joseph Bamidele Awotunde, Marion Olubunmi Adebiyi, Abidemi Emmanuel Adeniyi

Pages 320-334

10. [Software Visualization Tool for Evaluating API Usage in the Context of Software Ecosystems: A Proof of Concept](#)

- Rodrigo Avancini, Fábio Fagundes Silveira, Eduardo Martins Guerra, Pedro R. Andrade

Pages 335-350

11. [Temperature Controller Using the Takagi-Sugeno-Kang Fuzzy Inference System for an Industrial Heat Treatment Furnace](#)

- Jorge Buele, Paulina Ríos-Cando, Geovanni Brito, Rodrigo Moreno-P., Franklin W. Salazar

Pages 351-366

12. [Prototype System of Geolocation Educational Public Transport Through Google Maps API](#)

- Franklin W. Salazar, Hernán Naranjo-Ávalos, Jorge Buele, Marco J. Pintag, Édgar R. Buenaño, Cristina Reinoso et al.

Pages 367-382

13. [SmartCitySysML: A SysML Profile for Smart Cities Applications](#)

- Layse Santos Souza, Sanjay Misra, Michel S. Soares

Pages 383-397

14. [Architecture Conceptualization for Health Information Systems Using ISO/IEC/IEEE 42020](#)

- Valdicélio Mendes Santos, Sanjay Misra, Michel S. Soares

Pages 398-411

15. [Development of an Audio Steganography System Using Discrete Cosine Transform and Spread Spectrum Techniques](#)

- Olawale Timothy Adeboje, Arome Junior Gabriel, Adebayo Olusola Adetunmbi

Pages 412-427

16. [Diagmal: A Malaria Coactive Neuro-Fuzzy Expert System](#)

- Tinuke Omolewa Oladele, Roseline Oluwaseun Ogundokun, Joseph Bamidele Awotunde, Marion Olubunmi Adebiyi, Jide Kehinde Adeniyi

Pages 428-441

17. [NatVi - A Framework for Agile Software Development, Service-Oriented Architecture and Quality Assurance](#)
 - James Taylor Faria Chaves, Sergio Antônio Andrade de FreitasPages 442-458
18. [A Two-Layer Image-Steganography System for Covert Communication Over Enterprise Network](#)
 - Arome Junior Gabriel, Adebayo Olusola Adetunmbi, Preye ObailaPages 459-470
19. [Towards Explainable Direct Marketing in the Telecom Industry Through Hybrid Machine Learning](#)
 - Russel Petersen, Olawande DaramolaPages 471-486
20. [A Dynamic Round Triple Data Encryption Standard Cryptographic Technique for Data Security](#)
 - Oluwatobi Noah Akande, Oluwakemi Christiana Abikoye, Aderonke Anthonia Kayode, Oladele Taye Aro, Oluwaseun Roseline OgundokunPages 487-499

[← Previous](#)

Page

2

of 4

[Next →](#)[Back to top ↑](#)

Other Volumes

1. [Computational Science and Its Applications – ICCSA 2020](#)
2. [Computational Science and Its Applications – ICCSA 2020](#)
3. [Computational Science and Its Applications – ICCSA 2020](#)
4. [Computational Science and Its Applications – ICCSA 2020](#)
5. [Computational Science and Its Applications – ICCSA 2020](#)
6. [Computational Science and Its Applications – ICCSA 2020](#)
7. [Computational Science and Its Applications – ICCSA 2020](#)

[— show all](#)

About this book

The seven volumes LNCS 12249-12255 constitute the refereed proceedings of the 20th International Conference on Computational Science and Its Applications, ICCSA 2020, held in Cagliari, Italy, in July 2020. Due to COVID-19 pandemic the conference was organized in an online event.

Computational Science is the main pillar of most of the present research, industrial and commercial applications, and plays a unique role in exploiting ICT innovative technologies.

The 466 full papers and 32 short papers presented were carefully reviewed and selected from 1450 submissions. Apart from the general track, ICCSA 2020 also include 52 workshops, in various areas of computational sciences, ranging from computational science technologies, to specific areas of computational sciences, such as software engineering, security, machine learning and artificial intelligence, blockchain technologies, and of applications in many fields.

Keywords

- artificial intelligence
- communication systems
- computer hardware
- computer networks
- computer science
- computer systems
- databases
- engineering
- internet
- mathematics
- network protocols
- signal processing
- software
- software architecture
- software design
- software engineering
- telecommunication networks
- telecommunication systems
- telecommunication traffic
- wireless telecommunication systems

Editors and Affiliations

- **University of Perugia, Perugia, Italy**

Osvaldo Gervasi

- **University of Basilicata, Potenza, Italy**

Beniamino Murgante

- **Chair- Center of ICT/ICE, Covenant University, Ota, Nigeria**

Sanjay Misra

- **University of Cagliari, Cagliari, Italy**

Chiara Garau, Ivan Blečić

- **Clayton School of Information Technology, Monash University, Clayton, Australia**

David Taniar

- **Department of Information Science, Kyushu Sangyo University, Fukuoka, Japan**

Bernady O. Apduhan

- **University of Minho, Braga, Portugal**

Ana Maria A. C. Rocha

- **Polytechnic University of Bari, Bari, Italy**

Eufemia Tarantino, Carmelo Maria Torre

- **Department of Neurology, University of Massachusetts Medical School, Worcester, USA**

Yeliz Karaca

[Back to top](#) ↑

Bibliographic Information

- **Book Title**Computational Science and Its Applications – ICCSA 2020
- **Book Subtitle**20th International Conference, Cagliari, Italy, July 1–4, 2020, Proceedings, Part VI
- **Editors**Osvaldo Gervasi, Beniamino Murgante, Sanjay Misra, Chiara Garau, Ivan Blečić, David Taniar, Yeliz Karaca

Show editors

- **Series Title** [Lecture Notes in Computer Science](#)
- **DOI**<https://doi.org/10.1007/978-3-030-58817-5>
- **Publisher**Springer Cham
- **eBook Packages** [Computer Science](#), [Computer Science \(R0\)](#)
- **Copyright Information**Springer Nature Switzerland AG 2020
- **Softcover ISBN**978-3-030-58816-8
- **eBook ISBN**978-3-030-58817-5
- **Series ISSN** 0302-9743
- **Series E-ISSN** 1611-3349
- **Edition Number**1
- **Number of Pages**XLII, 1029

- **Number of Illustrations** 122 b/w illustrations
- **Topics** [Computer Communication Networks](#), [Computer System Implementation](#), [Database Management](#), [Computer Vision](#), [Software Engineering](#)

[Back to top](#) ↑

Not logged in - 102.89.47.105

Not affiliated



© 2022 Springer Nature Switzerland AG. Part of [Springer Nature](#).





Diagmal: A Malaria Coactive Neuro-Fuzzy Expert System

Tinuke Omolewa Oladele¹, Roseline Oluwaseun Ogundokun²(✉) ,
Joseph Bamidele Awotunde¹ , Marion Olubunmi Adebisi² ,
and Jide Kehinde Adeniyi²

¹ Department of Computer Science, University of Ilorin,
Ilorin, Kwara State, Nigeria

² Department of Computer Science, Landmark University Omu Aran,
Omu Aran, Kwara State, Nigeria
ogundokun.roseline@lmu.edu.ng

Abstract. In the process of clarifying whether a patient or patients is suffering from a disease or not, diagnosis plays a significant role. The procedure is quite slow and cumbersome, and some patients may not be able to pursue the final test results and diagnosis. The method in this paper comprises many fact-finding and data-mining methods. Artificial Intelligence techniques such as Neural Networks and Fuzzy Logic were fused together in emerging the Coactive Neuro-Fuzzy Expert System diagnostic tool. The authors conducted oral interviews with the medical practitioners whose knowledge were captured into the knowledge based of the Fuzzy Expert System. Neuro-Fuzzy expert system diagnostic software was implemented with Microsoft Visual C# (C Sharp) programming language and Microsoft SQL Server 2012 to manage the database. Questionnaires were administered to the patients and filled by the medical practitioners on behalf of the patients to capture the prevailing symptoms. The study demonstrated the practical application of neuro-fuzzy method in diagnosis of malaria. The hybrid learning rule has greatly enhanced the proposed system performance when compared with existing systems where only the back-propagation learning rule were used for implementation. It was concluded that the diagnostic expert system developed is as accurate as that of the medical experts in decision making. DIAGMAL is hereby recommended to medical practitioners as a diagnostic tool for malaria.

Keywords: Fuzzy inference system · Diagnosis · Expert system · Neuro-fuzzy modeling · Malaria

1 Introduction

Information and Communication Technology (ICT) based diagnostic tools were used in the diagnosis of specific illnesses such as malaria. Malaria is an extremely transmissible malady brought about by plasmodium, a gore organism [1, 2]. It is presently one of the foremost transmissible humid sicknesses that unpleasantly affect people's well-being and many developing countries' financial advancement, especially the sub-Saharan Africa (SSA).

Malaria has been epidemic in our society since the dawn of history [3]. About 40% of the ecosystem's populace resides in rampant areas of malaria. Furthermore, 90% of instances and the bulk of mortalities occur in tropical Africa. Three million mortalities and 500 million medical instances were estimated yearly [4]. One of the major activities of W.H.O. is to make health care facilities available and accessible to all at all times and at various locations, but the current situation is the contrary. Most of the people who are to access these facilities are far removed from these facilities and resides farther from them or these facilities are too expensive to be accessed. In view of the foregoing, there is a necessity to provide a computerized system that is a knowledge-based system that will provide complementary medical services.

Several studies have shown that manual microscopy is not a reliable screening method unlike automated diagnosis [5–8]. An automated diagnosis system can be designed by understanding the diagnostic expertise [9, 10] for identifying malaria when prevailing symptoms are specified. An automated system aims at performing this task without human intervention and also provides an objective, reliable, and efficient tool to do so. Hence, Artificial Intelligence (AI) techniques based on neural network, fuzzy logic [11–17] and expert systems were applied in the diagnosis of malaria. These AI methods were used in place of the clinical laboratory in diagnosing malaria in patients.

This research was meant to showcase the prowess of the ICT approach to medical diagnosis. It will promote early diagonalization of malaria by making the diagnostic tool available and accessible to all even at the grass-root level. The ICT-based Neuro-Fuzzy Expert System diagnostic tool will optimize the activities of medical practitioners in the area of diagnosis of malaria. It will also assist academic institutions and the industry for the purpose of research.

In this research, the Coactive Neuro-Fuzzy Expert System diagnostic tool called DIAGMAL was designed and implemented. The diagnosis given by DIAGMAL is based on the prevailing symptoms given by the patients. Statistical Investigation of the datasets acquired after the administration of the questionnaires was also conveyed in order to establish the accuracy of the tool.

2 Literature Review

In the literature, ICT-based malaria diagnosis and some other diseases have been reported. In [18], fuzzy logic was employed and they developed a fuzzy expert malaria management system. Online system identification and management malaria was documented in [19], where a rule-based knowledgeable scheme was developed with the ability to interact with the scheme in real-time and via mobile devices based on the global mobile communication system (GSM) technology. Researchers [20] reported diamalycin for malaria diagnosis and typhoid fever; a decision support system for medical application, a case-based decision support system for malaria and typhoid diagnosis. The study didn't apply the use of neural network and fuzzy logic algorithms. There was no precise method of distinguishing between malaria and typhoid. Decision support system model for diagnostic of tropical diseases using fuzzy logic was documented in [21], where fuzzy logic was used to diagnose tropical diseases such as malaria, typhoid, tuberculosis, sexually transmitted diseases, yellow fever, hepatitis B,

leprosy and chickenpox. The confidence interval to give the assurance that the diagnosis given was actually for the specified disease was not computed.

[22] proposed a medical expert system for managing tropical diseases. In the proposed Medical Expert System (MES) the inference engine used a forward-looking chaining method to search the expert system for symptoms of a disease and it associate therapy which matches the query supplied by the patient.

[23] developed a flippant rule-based framework for tropical disease management. While assessing the extent of the tropical disease, fuzzy logic was employed. A fluffy expert system for hypertension management [9] was used to diagnose high blood pressure.

[24] provided a systematic empirical analysis of existing medical expert systems used to diagnose various diseases based on the increasing demand for human expert support systems. The study provided a descriptive overview of the different techniques used, such as rule-based, fuzzy, artificial neural networks, and smart hybrid models. The rule-based techniques were not too efficient based on its inability to learn. This required powerful search strategies for its knowledge-base. The fuzzy or ANN models are less efficient when compared to the hybrid models that can give a more accurate result.

[25] proposed an Adaptive Neuro Fuzzy Inference System (ANFIS) for malaria diagnosis. The system was designed to use the triangular membership function and as its learning algorithm used back propagation technique as well as the least square mean. The authors used the design of tagaki sugeno fuzzy inference to provide the system's rules base. The program result provided 98 percent accuracy in the identification of patients with malaria.

A decision support system centered on fuzzy logic was employed to diagnose tuberculosis [20]. In [26], a hybrid neuro-fuzzy expert scheme for the testing and forecast of thyroid disorders was conveyed in order to diagnose thyroid disorder. The system could be used for cases defined in the knowledge-based system since it was not an adaptive hybrid system.

This proposed system was therefore projected to develop a coactive neuro-fuzzy malaria diagnostic system tool, based on an adaptive neuro-fuzzy system model.

3 Methodology

3.1 Questionnaire

Questionnaire was designed for patients to capture their prevailing symptoms so as to be able to determine the presence or absence of malaria in their body system.

Questionnaire Design

The questionnaire designed for the diagnosis of malaria was subdivided into 3 sections.

- i. Section A: Demographic and Socio-Economic characteristics of the respondents, such as; Age, sex, place of residence and so on was captured.

- ii. Section B: Symptoms of malaria, such as; fever, headache, Body pain, Catarrh, cough, nausea, chills, sweating, bitter taste, vomiting, jaundice, diarrhea, body weakness, sore throat were specified.
- iii. Section C: Treatment of malaria. This section is meant to capture the preferred treatment measure by the respondent such as self-medication, use of herbs, or orthodox medical treatment and so on.

Population and Sample size

The target population for this study included the staff and students of the University of Ilorin Health Centre as well as the patients at the Civil Service Clinic in Ilorin, Kwara State, Nigeria. 180 respondents were the sample size used for this study and this includes 100 respondents from University of Ilorin Health Center (Staff and students inclusive) and 80 respondents from Civil Service Clinic Ilorin, Kwara State, Nigeria.

Procedure for Questionnaire Administration

A total number of 100 questionnaires were administered at the University of Ilorin Health Centre, while 80 copies were administered at the Civil Service Clinic in Ilorin. Out of the 100 copies of the questionnaire administered at the University of Ilorin Health Centre, 85 copies were returned while 23 copies were returned out of the 80 copies administered at the Civil Service Clinic, giving a total of 108 returned copies of the questionnaire.

4 Results and Discussion

Neuro-Fuzzy measures were adopted in the CANFES model which was used in the implementation of the proposed system DIAGMAL, the diagnostic tool for malaria disease. This section offers an in-depth analysis and interpretation of the results and discussion of the findings.

4.1 Implementation of the Coactive Neuro-Fuzzy Expert System

In this paper, the developed Coactive Neuro-Fuzzy Expert System tool for diagnosis of malaria was called DIAGMAL. Screenshots capturing all the interfaces representing the modules in the expert system are displayed in this section. The stages involved in entering the signs, symptoms and historical data, and the diagnosis being made were also captured.

Splash Screen

Figure 1 shows the splash screen for the expert system. The splash screen is a slide show of DIAGMAL logo.

Patient Registration Page

The patient record page captures the biodata of each patient as displayed in Fig. 2.

Figure 2 displays the registered patient records. When new users registered by inputting their data into the system, it is stored in a database and this page shows sample of some of the patients' records already stored in the application.




Fig. 1. DIAGMAL splash screen

A screenshot of the 'diagma Patient Registration' window. The window has a title bar and a standard Windows-style interface. On the left, there is a large, empty rectangular area. On the right, there is a form for patient registration. The form includes fields for Patient ID, Surname, Othernames, Address, Sex, Phone Number, and Date of Birth. There are also 'Clear', 'Save', and 'Delete' buttons. Below the form, there is a table titled 'Registered Patients' with columns for Patient ID, Surname, Other Names, Sex, Date of Birth, and Date Registered. The table contains five rows of patient data.

Patient ID	Surname	Other Names	Sex	Date of Birth	Date Registered
000001	Ifedube	J	Male	Tuesday, Marc...	Wec
000002	Ibrahim	F	Male	Monday, Marc...	Wec
000003	Oguntimehin	O	Female	Sunday, Februa...	Wec
000004	Kareem	E	Male	Tuesday, April ...	Wec
000005	Afuye	B	Female	Monday, May 0...	Wec

Fig. 2. Patient's registration form

Expert System Initial Test

This module captures the patient's historical and demographic data to a certain extent. The expert system then gives an assessment of the patient as being exposed to malaria based on the selected and entered data.

Figure 3 shows the expert system initial test. After the development of the application, the first implementation performed on the system is shown in this figure.

Expert System General Test

This module is divided into two columns, which are variable symptoms and selective symptoms. The variable symptoms are selected between a range of mild and high, while the selective symptoms are clicked as it applies to the patient.

Figure 4 shows the general test page. This is the page showing the general test which involves the variable symptoms.

diagmal Expert: Initial Test

Lets get to know a little about the patient!

What has the Patient been up to?

☐ Was the Patient born in a Malaria Infested Area?

[View Malaria Map](#)

☐ Does the Patient live in a Mosquito Infested Area?

☐ Does the Patient implore any anti-Mosquito Methods?

☐ Did the Patient Travel to a Mosquito Infested Area?

How long after the arrival from the malaria region did the patient start noticing symptoms?

0

+

-

How often do you take food Supplements?

How often do you take high protein meals?

When was the parasite treated last?

0

+

-

Assessment

Fig. 3. Expert initial test

diagmal Expert: General Test

Lets begin with some General Questions.

Variable Symptoms

Mild

High

Sweating

Shivering

Exhaustion

Headaches

Selective Symptoms

☐ Is the Patient experiencing Body Aches?

☐ Is the Patient Vomiting?

☐ Is the Patient Experiencing General Restlessness?

☐ Is the Patients Tempreture above 37 Degrees C?

Parasite Probability [%]

Assessment

Fig. 4. General test

Expert System Secondary Test

This module contains variable symptoms where, body ache, extended cramps, and dizziness are captured between the range of mild and high. Respiratory rate is captured between normal and abnormal and lip texture is captured between normal and dry.

Figure 5 shows the secondary test which involves the variable symptoms but these symptoms are different from the ones in the general test page.

diagmal Expert: Secondary Test

Please respond as accurately as possible. Symptom fine tuning begins here.

Variable Symptoms

Mild

High

Body Aches

Extended Cramps

Dizzyness

Normal

Abnormal

Respiratory Rate

Normal

Too Dry

Lip Texture

Parasite Probability [%]

Assessment

Fig. 5. Secondary test

Expert Final Test

This module contains variable symptoms which are intended to capture all the possible signs and symptoms that are exhibited by the patient.

Figure 6 shows the final test page and this is the final test module for the application developed. These also contains different variables from the two initial pages.

diagnal Expert: Final Test

Let redefine some of the previously asked questions.

Variable Symptoms

Is the Patient experiencing pain in the liver area? ☐ No ☐ Yes

What was the color of the Patient's last Urine? ☐ Deep Yellow / Bright Orange

While stooling, was any patches of blood found in the faeces? ☐ None ☐ A lot

What is the frequency of Vomiting? ☐ 0/min ☐ 20 or More/Min

Is the Patient Experiencing pain in the pancreatic area? ☐ No ☐ Yes

What is the color of the Patient's eyes? ☐ Deep Yellow / Bright Orange

Is the Patient showing signs of mental imbalance in any way? ☐ Not at All ☐ Very Abnormal

Parasite Probability (%)

Assessment

Fig. 6. Final test

Inference Result

This module serves as a link between the expert system result and the patient's biodata. The degree or intensity of malaria in the patient is displayed on this page.

Figure 7 shows the inference result. The inference setting was done and implementation was executed and Fig. 7 shows the outcome of the execution.

diagnal Settings

Inference Engine Confidence Settings

Inference Name

Lower Bound Upper Bound

(Bounds cannot be greater or equal to 1)

Max Age Limit (Years)

CLEAR ADD REMOVE

Inference	Max Age Limit	Lower Bound	Upper Bound	Treatment
Fever	40	0	0.9	artesunate
Fever	20	0	0.9	artesunate

Fig. 7. Inference result

Report Engine

This module generates the patient's details with their respective diagnosis result. The result can then be printed by the administrator or the user.

Figure 8 shows the report engine. When a report scope is clicked, it displays reports about patients.




Fig. 8. Report engine

4.2 Questionnaire Data Analysis and Interpretation

The Demographic and Socio-economic Characteristics of the Respondents is shown in Table 1.

Table 2 shows that the average age of the respondents was 27.08 years (27 years). Also, it is obvious from the same table that expected monthly income of the respondents was 58,300 Naira. 37.3 °C was estimated to be the average body temperature of the respondents as at the time of investigation. With respect to the question relating to the frequency of malaria per year, most of the respondents claimed that they had malaria three times per year. A respondent affirmed that he/she has not had malaria before, whereas someone said that he/she had malaria ten times in a year.

Table 3 shows that almost all of the respondents had been diagnosed for malaria fever before survey (99.1%). Only one respondent (0.9%) said that he/she had never been a patient of malaria. One – fourth of those who claimed that they had been diagnosed for malaria before (26.9%) were still having malaria as at the time of survey. Almost four out of every five respondents (76.9%) asserted that their malaria cases were seldom. Nearly one – fifth of the respondents (18.5%) claimed that they had malaria fever frequently. The distribution of respondents according to the symptoms of malaria shows that two out of every five respondents (39.8%) said that headache was the most severe symptom of malaria. This is followed by those who claimed that body pain and fever were the major symptoms of malaria (18.5% and 17.5% respectively). Vomiting and Jaundice had the least representations (0.9%). This implies that both vomiting and jaundice were not the main symptoms of malaria. Only 4.6% of the respondents did not respond to the question relating to most severe symptoms of malaria at all. This is evident by the following bar chart depicted in Fig. 9.

It is evident by the following bar chart depicted by Fig. 9 that 15.7% of respondents have fever as their own symptoms of malaria, 39.8% have headache as their own symptoms, 16.7% have body pain as their own symptoms of malaria, 7.4% have catarrh as their own symptoms of malaria, 1.9% have chill as their own symptoms of malaria, 0.9% symptoms is vomiting and jaundice as their own symptoms of malaria, 1.9% have diarrhea as their own symptoms of malaria, 8.3% have body weakness as their own

Table 1. Demographic and socio-economic characteristics of the respondents

Characteristics	Number	Percentage
<i>Age</i>		
15–24	66	61.1
25–34	23	21.3
35–44	4	3.7
45–54	8	7.4
55 and above	5	4.6
No response	2	1.9
Total	108	100.0
<i>Sex</i>		
Male	60	55.6
Female	47	43.5
No response	1	0.9
Total	108	100.0
<i>Marital status</i>		
Single	83	76.9
Ever married	25	23.1
Total	108	100.0
<i>Education</i>		
Primary	3	2.8
Secondary	13	12.0
First degree	72	66.7
Higher degree	7	6.5
Undergraduate	8	7.4
No response	5	4.6
Total	108	100.0
<i>Place of residence</i>		
Urban	96	88.9
Rural	12	11.1
Total	108	100.0
<i>Occupation</i>		
Civil/public servant	12	11.1
Private salary employee	3	2.8
Self-employed	13	12.0
Artisan	2	1.9
Student	66	61.1
No response	12	11.1
Total	108	100.0
<i>Hospitals used</i>		
Unilorin health services	85	78.7
Civil service clinic	23	21.3
Total	108	100.0

Source: Survey, 2019.

Table 2. Summary of quantitative data

Characteristics	Minimum	Maximum	Mean
Age	16	89	27.08
Income	1000	699000	58300
Body temp	23 °C	42 °C	37.3 °C
Malaria per year	N/A	10	3.0

Source: Survey, 2019.

symptoms of malaria, 1.9% have sore throat as their own symptoms of malaria and lastly 4.6% respondents didn’t give any response.

According to doctor’s reports, more than three out of every five respondents (72.2%) were diagnosed for malaria fever at the time of the investigation. This is followed by those who were diagnosed with plasmodiasis (3.2%). Exactly one – fourth of the doctors (25.0%) did not indicate the current diagnosis of their patients. Only one patient was diagnosed with hypertension. The distribution of respondents according to hospital attendance for malaria treatment indicates that more than three out of every five respondents (63.0%) claimed that they attended hospital for malaria treatment while 31.5% of the respondents did not attend hospital for malaria treatment. Table 3 also shows that approximately one out of every five respondents (18.5%) preferred self-medication to attend the hospital. This is followed by those who said that they preferred orthodox medication (17.6%). More than the average of the respondents (57.4%) did not indicate their preference at all. It is obvious from the table that two out of every five respondents (41.7%) indicated tablets as what they used to treat malaria, while one – fifth of the respondents (21.3%) claimed that they used injections to cure malaria. But one - fourth of the respondents (25.9%) combined tablets with injections for malaria treatment.

5 Discussion of Results

5.1 Implementation of the Coactive Neuro-Fuzzy Expert System

The identification given by the expert system named DIAGMAL showed the exact diagnosis given by the doctor. This specifies that computer application can accurately determine the diagnosis of malaria. The essence of this research is to determine the extent to which neuro-fuzzy methodology represents the exact diagnosis of patients compared to that of physicians. Accuracy of the system was tested by observations made from the various populations which were assessed on the field. Based on the assessment, it was found that DIAGMAL gave accurate diagnostic predictions.

There are two platforms on which this application can be implemented. It can be implemented as a web-based application or as a desktop application. The expert system was developed as a desktop application that can be implemented on any personal

Table 3. Symptoms of malaria

Characteristics	Number	Percentage (%)
<i>Ever diagnosed for malaria</i>		
Yes	107	99.1
No	1	0.9
Total	108	100.0
<i>Currently diagnosed for malaria</i>		
Yes	29	26.9
No	74	68.5
No response	5	4.6
Total	108	100.0
<i>Frequency of malaria</i>		
Seldom	83	76.9
Frequently	20	18.5
Very frequently	2	1.9
No response	3	2.8
Total	108	100.0
<i>Most severe symptoms of malaria</i>		
Fever	17	15.7
Headache	43	39.8
Body pain	18	16.7
Catarrh	8	7.4
Chill	2	1.9
Vomiting	1	0.9
Jaundice	1	0.9
Diarrhea	2	1.9
Body weakness	9	8.3
Sore throat	2	1.9
No response	5	4.6
Total	108	100.0
<i>Doctors' current diagnosis</i>		
Malaria fever	78	72.2
Plasmodiasis	4	3.7
Hypertension	1	0.9
No response	25	23.1
Total	108	100.0
<i>Hospital's attendance for malaria treatment</i>		
Yes	107	63.0
No	34	31.5
No response	6	5.6
Total	108	100.0

(continued)

Table 3. (continued)

Characteristics	Number	Percentage (%)
<i>Malaria treatment methods</i>		
Self-medication	20	18.5
Herbs	6	5.6
Orthodox medical treatment	19	17.6
Other treatments	1	0.9
No response	62	57.4
Total	108	100.0
<i>Malaria treatments preference</i>		
Tablets	45	41.7
Injections	23	21.3
Tablets and injections combined	28	25.9
Herbs	4	3.7
No response	8	7.4
Total	108	100.0

Source: Survey, 2019.




Fig. 9. Symptoms of Malaria

computer. Hence, the problem of internet connectivity has been overcome. This also specifies that the neuro-fuzzy expert system diagnostic tool can be truly deployed and made accessible at the grass-root level.

5.2 Summary of Findings

- Design and implementation of a Coactive Neuro-Fuzzy Expert System diagnostic tool called DIAGMAL.
- Empirically, the symptoms of malaria were identified;
- The most severe symptoms of malaria were identified; and
- It was deduced that even though headache, body pain, fever and other symptoms identified by the respondents (that is, patients) are symptoms of malaria, they are also symptoms of other diseases.

6 Conclusion

The need to develop a system that would assist physicians in the diagnosis of malaria cannot be over emphasized. This paper demonstrated the practical application of information and communication technology in the medical domain. It has employed the use of a coactive neuro-fuzzy expert system that can help in the diagnosis of malaria. The system is an interactive system that predicts the intensity of malaria in a patient.

The hybrid learning rule enhances the performance of the system. Based on these results, the study shows that the ICT-based Neuro-Fuzzy Expert System for diagnosis of malaria produces accurate results. DIAGMAL is hereby recommended to the world of academia and the industry for the purpose of research and to assist medical practitioners as a diagnostic tool for malaria.

Availability of Data and Material

The datasets used in this study were gotten from a survey and deposited in Zenodo Database repository [27].

References

1. Adebisi, M., et al.: Computational investigation of consistency and performance of the biochemical network of the malaria parasite, *plasmodium falciparum*. In: Misra, S., et al. (eds.) ICCSA 2019. LNCS, vol. 11623, pp. 231–241. Springer, Cham (2019). https://doi.org/10.1007/978-3-030-24308-1_19
2. Carter, R., Mendes, K.N.: Evolutionary and historical aspects of the burden of malaria. *Clin. Microbiol. Rev.* **15**, 564–594 (2002)
3. White, N.J.: Antimalarial drug resistance. *J. Clin. Invest.* **113**, 1084–1092 (2004)
4. Kettelhut, M.M., Chiodini, P.L., Edwards, H., Moody, A.: External quality assessment schemes raise standards: evidence from UKNEQAS parasitology subschemes. *J. Clin. Pathol.* **56**, 927–932 (2003)
5. Coleman, R.E., et al.: Comparison of field and expert laboratory microscopy for active surveillance for asymptomatic *Plasmodium falciparum* and *Plasmodium vivax* in western Thailand. *Am. J. Trop. Med. Hyg.* **67**, 144–154 (2002)
6. Bates, I., Bekoe, V., Asamoah-Adu, A.: Improving the accuracy of malaria-related laboratory tests in Ghana. *Malar. J.* **3** (2004). Article number: 38. <https://doi.org/10.1186/1475-2875-3-38>
7. Mitiku, K., Mengistu, G., Gelaw, B.: The reliability of blood film examination for malaria at the peripheral health unit. *Ethiop. J. Health Dev.* **17**, 197–204 (2003)
8. Adebayo, O., Asani, E.O., Ogundokun, R.O., Ananti, E.C., Adegun, A.: A neuro-fuzzy based system for the classification of cells as cancerous or non-cancerous. *Int. J. Med. Res. Health Sci.* **7**(5), 155–166 (2018)
9. Djam, X.Y., Kimbi, Y.H.: Fuzzy expert system for the management of hypertension. *Pac. J. Sci. Technol.* **12**(1), 390–402 (2011)
10. Donfack, A.F., Abdullahi, M., Ezugwu, A.E., Alkali, S.A.: Online system for diagnosis and treatment of malaria (2009)

11. Lala, O.G., Emuoyibofarhe, O.J., Fajuyigbe, O., Onaolapo, S.O.: Diamaltycin for the diagnosis of malaria and typhoid fever: a decision support system for medical application. In: Proceedings of the First International Conference on Mobile Computing, Wireless Communication, E-Health, M-Health & Telemedicine (MWEMTem 2008), Held at Ladoke Akintola University of Technology (LAUTECH), Ogbomosho (2008)
12. Olabiyisi, S.O., Omidiora, E.O., Olaniyan, M.O., Dorikoma, O.: A decision support system model for diagnosing tropical diseases using fuzzy logic. *Afr. J. Comput. ICT* **4**(2), 1–6 (2011)
13. Adekoya, A.F., Akinwale, A.T., Oke, O.E.: A medical expert system for managing tropical diseases. In: Proceedings of the Third Conference on Science and National Development, pp. 74–86 (2008)
14. Obot, O.U., Uzoka, F.M.E.: Fuzzy rule-based framework for the management of tropical diseases. *Int. J. Eng. Inform.* **1**(1), 7–17 (2008)
15. Imhanlahimi, R.E., John-Otumu, A.M.: Application of expert system for diagnosing medical conditions: a methodological review. *Eur. J. Comput. Sci. Inf. Technol.* **7**(2), 12–25 (2019)
16. Osubor and Chiemeke: An adaptive neuro fuzzy inference system for the diagnosis of malaria. *NISEB J.* **14**(4), 212–222 (2015)
17. Agboizebeta, I.A., Chukwuyeni, O.J.: Application of neuro-fuzzy expert system for the probe and prognosis of thyroid disorder. *Int. J. Fuzzy Log. Syst. (IJFLS)* **2**(2), 1–11 (2012)
18. Ayo, F.E., et al.: A fuzzy based method for diagnosis of acne skin disease severity. *i-Manager's J. Pattern Recogn.* **5**(2), 10 (2018)
19. Awotunde, J.B., Matiluko, O.E., Fatai, O.W.: Medical diagnosis system using fuzzy logic. *Afr. J. Comput. ICT* **7**(2), 99–106 (2014)
20. Jimoh, R.G., Afolayan, A.A., Awotunde, J.B., Matiluko, E.O.: Fuzzy logic based expert system in the diagnosis of Ebola virus. *Ilorin J. Comput. Sci. Inf. Technol.* **2**(1), 73–94 (2017)
21. Thompson, T., Sowunmi, O., Misra, S., Fernandez-Sanz, L., Crawford, B., Soto, R.: An expert system for the diagnosis of sexually transmitted diseases–ESSTD. *J. Intell. Fuzzy Syst.* **33**(4), 2007–2017 (2017)
22. Azeez, N.A., et al.: A fuzzy expert system for diagnosing and analyzing human diseases. In: Abraham, A., Gandhi, N., Pant, M. (eds.) *IBICA 2018. AISC*, vol. 939, pp. 474–484. Springer, Cham (2019). https://doi.org/10.1007/978-3-030-16681-6_47
23. Lawanya Shri, M., Ganga Devi, E., Balusamy, B., Kadry, S., Misra, S., Odusami, M.: A fuzzy based hybrid firefly optimization technique for load balancing in cloud datacenters. In: Abraham, A., Gandhi, N., Pant, M. (eds.) *IBICA 2018. AISC*, vol. 939, pp. 463–473. Springer, Cham (2019). https://doi.org/10.1007/978-3-030-16681-6_46
24. Alhassan, J.K., Misra, S., Umar, A., Maskeliūnas, R., Damaševičius, R., Adewumi, A.: A fuzzy classifier-based penetration testing for web applications. In: Rocha, Á., Guarda, T. (eds.) *ICITS 2018. AISC*, vol. 721, pp. 95–104. Springer, Cham (2018). https://doi.org/10.1007/978-3-319-73450-7_10
25. Ayo, F.E., Awotunde, J.B., Ogundokun, R.O., Folorunso, S.O., Adekunle, A.O.: A decision support system for multi-target disease diagnosis: a bioinformatics approach. *Heliyon* **6**(3), e03657 (2020)
26. Jimoh, R.G., Awotunde, J.B., Babatunde, A.O., Ameen, A.O., James, T.R., Fatai, O.W.: Simulation of medical diagnosis system for malaria using fuzzy logic. *Int. J. Inf. Process. Commun. (IJIPC)* **2**(1) (2014)
27. Oladele, T.O., Ogundokun, R.O., Adebisi, M.O.: Datasets on malaria disease [data set]. Zenodo (2019). <http://doi.org/10.5281/zenodo.3592442>